CITY OF HOMESTEAD
DEVELOPMENT SERVICES
PERMITTING HOURS
7:30 A.M. & 4:00 P.M.
MONDAY – FRIDAY

100 CIVIC COURT
HOMESTEAD FLORIDA 33030
T.305.224.4500 F.305.224.4539

COMMERCIAL ROOFING APPLICATION & PACKET INFORMATION

Florida Building Code 5th Edition (2014)
REQUIRED OWNERS NOTIFICATION FOR ROOFING CONSIDERATIONS

Scope. As it pertains to this section, it is the responsibility of the roofing contractor to provide the owner with the required roofing permit, and to explain to the owner the content of this section. The provisions of this chapter govern the minimum requirements and standards of the industry for roofing system installations. Additionally, the following items should be addressed as part of the agreement between the owner and the contractor. The owner's initial in the designated space indicates that the item has been explained.

1_____Aesthetics-Workmanship: The workmanship provisions of Section RR4402 are for the purpose of providing that the roofing system meets the wind resistance and water intrusion performance standards. Aesthetics (appearance) are not a consideration with respect to workmanship provisions. Aesthetic issues such as color or architectural appearance that are not part of a zoning code should be addressed as part of the agreement between the own and the contractor.

2_____Renailing Wood Decks: When replacing roofing, the existing wood roof deck may have to be renailed in accordance with the current provisions of Section RR4402. (The roof deck is usually concealed prior to removing the existing roof system.)

3_____Common Roofs: Common roofs are those which have no visible delineation between neighboring units (i.e., townhouses, condominiums, etc.). In buildings with common roofs, the roofing contractor and/or owner should notify the occupants of adjacent units of roofing work to be performed.

4_____Exposed Ceilings: Exposed, open beam ceilings are where the underside of the roof decking can be viewed from below. The owner may wish to maintain the architectural appearance; therefore, roofing nail penetrations of the underside of the decking may not be acceptable. This provides the option of maintaining this appearance.

5_____Ponding Water: The current roof system and/or deck of the building may not drain well and may cause water to pond (accumulate in low-lying areas of the roof). Ponding can be an indication of structural distress and may require the review of a professional structural engineer. Ponding may shorten the life expectancy and performance of the new roofing system. Ponding conditions may not be evident until the original roofing system is removed. Ponding conditions should be corrected.

6_____Overflow Scuppers (wall outlets): It is required that rainwater flows off so that the roof is not overloaded from a buildup of water. Perimeter/edge walls or other roof extensions may block this discharge if overflow scuppers (wall outlets) are not provided. It may be necessary to install scuppers in accordance with the requirements of RR4403 and RR4413.

7_____Ventilation: Most roof structures should have some ability to vent natural air flow through the interior of the structural assembly (the building itself). The existing amount of attic ventilation shall not be reduced. It may be beneficial to consider additional venting which can result in extending the service life of the roof.

Owner's/Agent's Signature	Date	Contractor's Signature

***Florida Building Code* 5TH Edition (2014)**
High Velocity Hurricane Zone Uniform Permit Application Form

INSTRUCTION PAGE

COMPLETE THE NECESSARY SECTIONS OF THE UNIFORM ROOFING PERMIT APPLICATION FORM AND ATTACH THE REQUIRED DOCUMENTS AS NOTED BELOW:

Roof System	**Required Sections of the Permit Application Form**	**Attachments Required See List Below**
Low Slope Application	A,B,C	1,2,3,4,5,6,7
Prescriptive BUR-RAS 150	A,B,C	4,5,6,7
Asphaltic Shingles	A,B,D	1,2,4,5,6,7
Concrete or Clay Tile	A,B,D,E	1.2.3.4.5,6,7
Metal Roofs	A,B,D	1,2,3,4,5,6,7
Wood Shingles and Shakes	A,B,D	1,2,4,5,6,7
Other	As Applicable	1,2,3,4,5,6,7

ATTACHMENTS REQUIRED:

1.	Fire Directory Listing Page
2.	From Notice of Acceptance: Front Page Specific System Description Specific System Limitations General Limitations Applicable Detail Drawings
3.	Design Calculations per Chapter 16, or If Applicable, RAS 127 or RAS 128
4.	Other Component Notice of Acceptances
5.	Municipal Permit Application
6.	Owners Notification for Roofing Considerations (Re-Roofing Only)
7.	Any Required Roof Testing/Calculation Documentation

Florida Building Code 5th Edition (2014)

High-Velocity Hurricane Zone Uniform Permit Application Form.

Section A (General Information)

Master Permit No._____ Process No. _____

Contractor's Name_____

Job Address_____

ROOF CATEGORY

- ☐ Low Slope
- ☐ Asphaltic Shingles
- ☐ Mechanically Fastened Tile
- ☐ Metal Panel/Shingles
- ☐ Prescriptive BUR-RAS 150
- ☐ Mortar/Adhesive Set Tiles
- ☐ Wood Shingles/Shakes

ROOF TYPE

☐ New roof ☐ Repair ☐ Maintenance ☐ Reroofing ☐ Recovering

ROOF SYSTEM INFORMATION

Low Slope Roof Area (SF)_____ Steep Sloped Roof AREA (SSF)_____ Total (SF)_____

Section B (Roof Plan)

Sketch Roof Plan: Illustrate all levels and sections, roof drains, scuppers, overflow scuppers and overflow drains. Include dimensions of sections and levels, clearly identify dimensions of elevated pressure zones and location of parapets.



***Florida Building Code* 5th Edition (2014)**
High-Velocity Hurricane Zone Uniform Permit Application Form.

Section C (Low Slope Application)

Fill in specific roof assembly components and identify manufacturer

(If a component is not used, identify as "NA")

System Manufacturer:_____

Product Approval No.:_____

Design Wind Pressures, From RAS 128 or Calculations:

P1:_____ P2:_____ P3:_____

Max. Design Pressure, from the specific product approval system:_____

Deck:

Type:_____

Gauge/Thickness:_____

Slope:_____

Top Ply Fastener/Bonding Material:

_____

Surfacing: _____

Fastener Spacing for Anchor/Base Sheet Attachment:

Field: ____" oc @ Lap, # Rows ____ @ ____" oc

Perimeter: ____" oc @ Lap, # Rows ___ @ ____" oc

Corner: ____" oc @ Lap, # Rows ____ @ ____" oc

Number of Fasteners Per Insulation Board:

Field _____ Perimeter _____ Corner _____

Illustrate Components Noted and Details as Applicable:

Woodblocking, Gutter, Edge Termination, Stripping, Flashing, Continuous Cleat, Cant Strip, Base Flashing, Counterflashing, Coping, Etc.

Indicate: Mean Roof Height, Parapet Height, Height of Base Flashing, Component Material, Material Thickness, Fastener Type, Fastener Spacing or Submit Manufacturers Details that Comply with RAS 111 and Chapter 16.

Anchor/Base Sheet & No. of Ply(s): _____

Anchor/Base Sheet Fastener/Bonding Material:

_____

Insulation Base Layer: _____

Base Insulation Size and Thickness: _____

Base Insulation Fastener/Bonding Material:

_____

Top Insulation Layer: _____

Top Insulation Size and Thickness: _____

Top Insulation Fastener/Bonding Material:

_____

Base Sheet(s) & No. of Ply(s): _____

Base Sheet Fastener/Bonding Material:

_____

Ply Sheet(s) & No. of Ply(s): _____

Ply Sheet Fastener/Bonding Material:

_____



***Florida Building Code* 5th Edition (2014)**

High-Velocity Hurricane Zone Uniform Permit Application Form

Section D (Steep Sloped Roof System)

:

Roof System Manufacturer: _____

Notice of Acceptance Number: _____

Minimum Design Wind Pressures, If Applicable (From RAS 127 or Calculations):

P1: _____ P1: _____ P1: _____



Florida Building Code 5th Edition (2014)

High-Velocity Hurricane Zone Uniform Permit Application Form.

Section E (Tile Calculations)

For Moment based tile systems, choose either Method 1 or 2. Compare the values for M_r with the values from M_f. If the M_f values are greater than or equal to the M_r values, for each area of the roof, then the tile attachment method is acceptable.

Method 1 "Moment Based Tile Calculations Per RAS 127"

(P1:____ x λ ____ = ____) – Mg: ____ = M_{r1} ____ Product Approval M_f _____

(P2:____ xλ ____ = ____) – Mg: ____ = M_{r2} ____ Product Approval M_f _____

(P3:____ xλ ____ = ____) – Mg: ____ = M_{r3} ____ Product Approval M_f _____

Method 2 "Simplified Tile Calculations Per Table Below"

Required Moment of Resistance (M_r) From Table Below _____ Product Approval M_f _____

M_r required Moment Resistance*					
Mean Roof Height Roof Slope	15′	20′	25′	30′	40′
2:12	34.4	36.5	38.2	39.7	42.2
3:12	32.2	34.4	36.0	37.4	39.8
4:12	30.4	32.2	33.8	35.1	37.3
5:12	28.4	30.1	31.6	32.8	34.9
6:12	26.4	28.0	29.4	30.5	32.4
7:12	24.4	25.9	27.1	28.2	30.0

*Must be used in conjunction with a list of moment based tile systems endorsed by the Broward County Board of Rules and Appeals.

For Uplift based tile systems use Method 3. Compared the values for F' with the values for Fr. If the F' values are greater than or equal to the Fr values, for each area of the roof, then the tile attachment method is acceptable.

Method 3 "Uplift Based Tile Calculations Per RAS 127"

(P1:____ x L ____ = ____ x w: = ____) – W: ____ x cos Θ ____ = F_{r1} ____ Product Approval F' _____

(P2:____ x L ____ = ____ x w: = ____) – W: ____ x cos Θ ____ = F_{r2} ____ Product Approval F' _____

(P3:____ x L ____ = ____ x w: = ____) – W: ____ x cos Θ ____ = F_{r3} ____ Product Approval F' _____

Where to Obtain Information		
Description	**Symbol**	**Where to find**
Design Pressure	P1 or P2 or P3	RAS 127 Table 1 or by an engineering analysis prepared by PE based on ASCE 7
Mean Roof Height	H	Job Site
Roof Slope	Θ	Job Site
Aerodynamic Multiplier	λ	Product Approval
Restoring Moment due to Gravity	M_g	Product Approval
Attachment Resistance	M_f	Product Approval
Required Moment Resistance	M_g	Calculated
Minimum Attachment Resistance	F'	Product Approval
Required Uplift Resistance	F_r	Calculated
Average Tile Weight	W	Product Approval
Tile Dimensions	L = length W = width	Product Approval
All calculations must be submitted to the building official at the time of permit application.		